



YORPOWER


YP11000PE

Petrol Generator



ENGINE FEATURES

- ✓ **Economical Oil Consumption**
Energy saving tech to reduce oil consumption
- ✓ **Strong Power**
With freq conversion tech. Power output is strong and stable
- ✓ **Engine Oil Warning System**
Auto engine shut off for low oil level
- ✓ **Electric Start**
One click electric start
- ✓ **Function Indicator**



GENERATOR FEATURES



- ✓ **Automatic Voltage Regulator**
for clean power
- ✓ **Electronic Short-Circuit Protect**
enhance safety
- ✓ **Fuel Displayer**
- ✓ **DC Output use for battery charger**
- ✓ **Self - Diagnosis**
easy to maintenance
- ✓ **Easy to Carry**
Rugged never-flat wheel kit and tow handle
- ✓ **OHV**
Over-headed valve on generator

ADDITIONAL INFORMATION

- Voltage range is within $\pm 2\%$
- Frequency is within $-1\% / + 3\%$ on full load
- Our optional 5 Display LED Screen allows you to view Voltage, Amps, KW, HZ and Hours all from one screen.
- Our optional Trolley Kit allows for easy maneuverability and transportation
- Comes with a relay to protect the battery charger from high temperatures

YORPOWER PETROL GENERATOR

Genset
Model: **YP11000PE**



Prime Power	6.6 kw	Phase	Single
Standby Power	7.0 kw	Cooling System	Air-Cooled
Frequency	50Hz	Fuel tank capacity	25 Litres
Power Factor	1.0	Fuel type	Petrol
Voltage (VAC)	230V	Noise @7M	78 db(A)
Voltage Regulator	By AVR	Dimension (LxWxH)	686 x 516 x 550 mm
Fuel consumption (100% load)	3.8 L/hr	Gross Weight	90 kg
AC Output	230V x 2 Blue Euro Sockets	DC Output	12V, 100W (8.3A)

Engine: YORPOWER, Model: YP260

Type	4 Stroke	Fuel	Petrol
Number of cylinder	Single	Rotational speed	3,000 rpm
Displacement	420 cc	Starting system	Electric (and recoil)
Cooling system	Air-cooled	Oil capacity	1.1 Litre
Horsepower	16 HP	Compression ratio	8: 6: 1

Alternator: YORPOWER, Model: YP6600

Phase	Single	Voltage Regulator	By AVR
Rating	IP23 - H Class insulation	Alternator Coil	100% Copper coil

Protection system:

- Oil alert system: Low lubrication oil pressure
- (Breaker) overload protection

Other standards:

- Having anti-vibration system between transmitter with surrounding frame.
- Battery .01 unit

Unit 2, Hurricane Close, Sherburn in Elmet, Leeds, LS25 6PB, United Kingdom

+44 1977 688155 • sales@yorpowers.com

www.yorpowers.com